List of Contents

NUMBER 1

Lin Yantian and **Yuan Hong**	1	Torsion of a finite length laminar composite circular cylinder debonded over a penny-shaped area
A. Neimitz and **Elias C. Aifantis**	9	On the role of the process zone in hydrogen assisted cracking—I. Threshold conditions
A. Neimitz and **Elias C. Aifantis**	19	On the role of the process zone in hydrogen assisted cracking—II. Kinetic conditions
Wang Tzu-Chiang	27	Elastic–plastic fields near crack tip growing step-by-step in a perfectly plastic solid
P. S. Theocaris	39	The independence of the *T*-criterion from the strength anisotropy of the materials
E. E. Gdoutos, M. A. Kattis and **C. G. Kourounis**	55	An infinite plate weakened by a curvilinear hole
G. A. Papadopoulos and **P. I. Poniridis**	65	Crack initiation from blunt notches under biaxial loading
K. S. Parihar and **Veena Prasad**	79	Plane strain problem of a Griffith crack in an initially stressed neo-Hookean elastic strip
Chiaki Ihara and **Tetsuya Misawa**	95	A stochastic model for fatigue crack propagation with random propagation resistance
R. K. Pandey, C. R. Pratap and **R. Chinadurai**	105	Significance of rotational factor *r* in CTOD determination and the effect of material and loading geometry on *r*
Nao-Aki Noda, Masa-Aki Tsubaki and **Hironobu Nisitani**	119	Stress concentration of a strip with V- or U-shaped notches under transverse bending
C. W. Springfield, Jr and **H. Y. Jung**	135	Investigation of stress concentration factor–stress intensity factor interaction for flaws in filleted rods
F. Delale	145	Critical fiber size for microcrack suppression in ceramic-fiber/ceramic-matrix composites
P. R. Heyliger	157	On conventional and quarter-point mixed elements in linear elastic fracture mechanics
		Letter to the Editor
Kim Wallin	173	Comments on "Statistical analysis of fracture toughness data" by D. J. Neville

		Technical Note
C. Thaulow	181	Fracture mechanics testing of weldments
		Announcement
	189	Corrosion: The Environmental Degradation of Materials, Massachusetts Institute of Technology, 11–15 July 1988
	I	Software Survey Section

NUMBER 2

W. Shaofu, Z. Xing and **H. Qingzhi**	191	Functional variable displacement method in analysis of singularity near the corner point in a three dimensional cracked solid
W. Cheng and **I. Finnie**	201	K_I Solutions for an edge-cracked strip
L.-W. Chen and **Y. M. Chen**	209	Vibrations of hygrothermal elastic composite plates
R. Moskovic and **P. L. Windle**	221	Suggested procedures for the analysis of multi-specimen fracture toughness test data
S. K. Cheong and **C. S. Hong**	237	Analysis of cracks emanating from a circular hole in an orthotropic plate under mixed mode deformation
K. P. Herrmann and **W. Meiners**	249	On a generalization of Irwin's formula concerning curvilinear interface cracks in brittle two-phase composite structures
P. S. Theocaris	255	Blunting phenomena in cracked ductile plates under mixed mode conditions
G. A. Papadopoulos and **P. I. Poniridis**	271	The influence of geometry of edge-blunt-notched plates on crack initiation
Y. Z. Chen	289	Multiple crack problems for finite plate with arbitrary contour configuration
Y. Z. Itoh, T. Murakami and **H. Kashiwaya**	297	Proportional extrapolation techniques for determining stress intensity factors
X. Shaobo, L. Guangxia and **L. Changchun**	309	Application of indentation technique in determining fracture toughness of ceramics
E. G. Ladopoulos	315	On the numerical evaluation of the general type of finite–part singular integrals and integral equations used in fracture mechanics
T. Hoshide, T. Ohara and **T. Yamada**	339	Fatigue behavior of ceramic materials under variable stress amplitude

L. G. Luo, A. I. Quarrington and J. D. Embury	349	Effect of specimen geometry on ductile initiation CTODi using a direct method
M. A. Mahmoud	357	Growth patterns of surface fatigue cracks under cyclic bending—a quantitative analysis
	I	Software Survey Section

NUMBER 3

G. C. Salivar, J. N. Yang and B. J. Schwartz	371	A statistical model for the prediction of fatigue crack growth under a block type spectrum loading
Liu Yi and **Li Xiao-Wei**	381	A simple test method for determining J_{IC} of mild steel by means of single side-grooved precracked Charpy-type specimen
X. S. Zhang and **Y. Zhang**	385	A concentric penny-shaped crack off the middle plane of a finite orthotropic cylinder under torsional shear stress
P. S. Theocaris	395	The COD and SIF variations along the deformed crack front of an edge-cracked thick plate
T. S. Gross and D. A. Mendelsohn	405	On the effect of crack face contact and friction due to fracture surface roughness in edge cracks subjected to external shear
V. Tvergaard	421	3D-Analysis of localization failure in a ductile material containing two size-scales of spherical particles
L. Schovanec	437	A mode III crack problem in a bonded composite material
T. V. Hareesh and F. P. Chiang	451	Integrated experimental-finite element approach for studying elasto-plastic crack-tip fields
H. Sakamoto and S. Takezono	463	Fatigue crack propagation under step variation of stress frequency in orthotropic material
E. Smith	475	The stability of a long circumferential through-wall crack in a pipe subject to bending deformation
T. Nishioka and **H. Yagami**	481	Invariance of the path independent T^* integral in nonlinear dynamic fracture mechanics, with respect to the shape of a finite process zone
S. W. Ma	493	A central crack in a finite rectangular plate with constrained edges parallel to the crack under the opening mode
A. Shukla, R. K. Agarwal and H. Nigam	501	Dynamic fracture studies on 7075-T6 aluminum and 4340 steel using strain gages and photoelastic coatings

V. K. Srivastava 517 Fracture behaviour of Zirconia oxide filled unidirectional glass fibre reinforced plastic composites

S. Dhar 525 Influence of multiple overload on fatigue crack retardation in high strength low alloy structural steel

N. J. Marchand, R. M. Pelloux and **B. Ilschner** 535 A fracture mechanics criterion for thermal-mechanical fatigue crack growth of gas turbine materials

Letter to the Editor

D. Munz 553 Comment on "Strength size effects and fracture mechanics: What does the physical evidence say?"

Announcement

555 "Chaos & Graphics"

I Software Survey Section

NUMBER 4

X. S. Zhang 557 General solutions of a concentric penny-shaped crack in a thick plate sandwiched between two different outer layers

T.-L. Sham 567 Weight functions for piecewise homogeneous isotropic notches in antiplane strain by finite element method

K. Hollmann and **J. Bäcklund** 577 Notch sensitivity of linearly softening materials exhibiting tensile fracture

B. N. Cox and **W. L. Morris** 591 Monte Carlo simulations of the growth of small fatigue cracks

Yu Shou-Wen and **D. Gross** 611 The singular field at a rigid flat inclusion in hardening materials under longitudinal shear

Y. Shindo and **H. Tamura** 617 Singular twisting moment in a cracked thin plate under an electric current flow and a magnetic field

K. T. Venkateswara Rao, W. Yu and **R. O. Ritchie** 623 On the behavior of small fatigue cracks in commercial aluminum–lithium alloys

C. Atkinson, J. M. Bastero and **J. M. Martínez-Esnaola** 637 Stress analysis in sharp angular notches using auxiliary fields

S. L. Lee and **D. J. Unger** 647 A decohesion model of hydrogen assisted cracking

Kang Yong Lee and **Heung Soap Choi** 661 Determination of thermal stress intensity factors for traction free cusp cracks under uniform heat flow

M. R. Straight, T. S. Sudarshan and J. H. Wilson	673	Significance of defects in fatigue of Cu–Ni/steel welds
B. S. Majumdar, A. R. Rosenfield and W. H. Duckworth	683	Analysis of *R*-curve behavior of non-phase-transforming ceramics
R. Bowman, S. D. Antolovich and R. C. Brown	703	A demonstration of problems associated with crack closure measurement techniques
		Letter to the Editor
K. Sobczyk	713	Markov models for fatigue crack growth
		Technical Note
R. Pippan	715	The length and the shape of cracks under cyclic compression: the influence of notch geometry
	I	Software Survey Section

NUMBER 5

R. Chandra, K. Guruprasad and K. Dwarakanath	719	Energy release rates in patched cracked plates
S. C. Tan	733	Mixed-mode fracture of notched composite laminates under uniaxial and multiaxial loading
S. Mall and N. K. Kochhar	747	Characterization of debond growth mechanism in adhesively bonded composites under mode II static and fatigue loadings
J. W. Nicholson and S. R. Mettu	759	Computation of dynamic stress intensity factors by the time domain boundary integral equation method—I. Analysis
S. R. Mettu and J. W. Nicholson	769	Computation of dynamic stress intensity factors by the time domain boundary integral equation method—II. Examples
S. K. Bhambri, V. Singh and K. Rajanna	783	Microstructure, stage II fatigue crack growth rates and dynamic fracture toughness—a correlation
A. M. Kumar, G. T. Hahn, C. A. Rubin and N. Xu	793	A crack arrest toughness test for tough materials
W. Chang	807	Applying similarity methods to fracture mechanics—measurement of fracture toughness K_{1c}, K_Q values by small-scale single specimen
M. Kumosa and D. Hull	817	Finite element analysis of a circumferentially cracked cylindrical shell under uniform tensile loading

X. S. Zhang	827	The general solution of a finite orthotropic cylinder with a concentric penny-shaped crack under torsion
X. S. Zhang	837	An infinite sheet weakened by doubly periodic circular holes with two unequal radial cracks
X. S. Zhang	847	The general solution of an edge crack off the center line of a rectangular sheet for mode III
A. Halim, W. Dahl and **K. E. Hagedorn**	857	Measurements of stretched zone width (SZW)—a round robin program of European Group on Fracture
R. Pippan	867	The sensitivity to measure crack closure with strain gauges near the crack tip
T. Kobayashi, K. Matsunuma, H. Ikawa and **K. Motoyoshi**	873	Evaluation of static and dynamic fracture toughness in ceramics
G. A. Papadopoulos	887	Dynamic crack-bifurcation by the Det.-criterion
		Technical Note
N. I. Ioakimidis	895	Mangler-type principal value integrals in hyper-singular integral equations for crack problems in plane elasticity
	I	Software Survey Section

NUMBER 6

X. S. Zhang and **Y. Zhang**	899	An eccentric crack of mode III at the interface between two different media in a rectangular sheet
X. S. Zhang	909	An eccentric crack normal to two interfaces among three layers in a rectangular sheet under anti-plane shear
D. Z. Zhang and **S. F. Zhu**	917	Use of double clip gauge method to measure the plastic rotational factor r_p
Zhao-Bangji, Lang-Fuyuan and **Wei-Qingtong**	923	Determining K_I of a V-notch from the existing results of a linear crack
A. Toshimitsu Yokobori, Jr and **T. Yokobori**	931	The crack initiation and growth under high temperature creep, fatigue and creep-fatigue multiplication
S. D. Smith, J. J. Webster and **T. H. Hyde**	947	Finite element simulation of elastic-creep growth of a semicircular surface crack
Zheng Xiulin and **L. Chao**	959	On the expression of fatigue crack initiation life considering the factor of overloading effect

Y. Z. Itoh, T. Murakami and **H. Kashiwaya** 967 Approximate formulae for estimating the J-integral of a circumferentially cracked round bar under tension or torsion

Y. M. Tsai 977 Dynamic penny-shaped crack in a transversely isotropic material

Y.-S. Cheng and **Y. Huang** 985 Measurement of continuous damage parameter

Luo Gangming and **Z. Yongyuan** 993 Improvement of stress singular element for crack problems in three dimensional boundary element method

W. J. Bottega 1001 Debonding of a predeflected segment of layer from the wall of a contracting cavity

M. Nait Abdelaziz, R. Neviere and **G. Pluvinage** 1009 Experimental investigation of fracture surface energy of a solid propellant under different loading rates

Dai Yao and **Hwang Keh-Chih** 1027 Unsteady growth of mode III crack in elastic perfectly-plastic material

M. Sarfarazi 1035 An overview of the constitutive behavior of crystalline solids

I Software Survey Section

i Index to Vol. 31